



# SAFETY DATA SHEET

Date Issued	01 JUNE 2015
Document Nbr	10010010US_en
Revision	0
Date Revised	01 JUNE 2015

**AMMONIATED JEWELRY CLEANER CONCENTRATE**

Model No: 13

Prepared to U.S. OSHA, CMA, ANSI, and Canadian WHMIS Standards

## SECTION 1 - IDENTIFICATION

<b>1.1 TRADE NAME:</b>	AMMONIATED JEWELRY CLEANER CONCENTRATE
SYNONYMS:	None
CAS#:	Mixture
<b>1.2 PRODUCT USE:</b>	Jewelry Cleaner
PRODUCT NUMBER:	Model No: 13
<b>1.3 SUPPLIER/MANUFACTURER'S NAME:</b>	<b>Connoisseurs Products Corporation</b>
ADDRESS:	17 Presidential Way, Woburn, MA 01801-1040 USA
BUSINESS PHONE:	(781) 932-3949
EMAIL:	<a href="mailto:info@connoisseurs.com">info@connoisseurs.com</a>
WEB SITE INFORMATION:	<a href="http://www.connoisseurs.com">www.connoisseurs.com</a>
<b>1.4 EMERGENCY PHONE NUMBERS:</b>	1 (800) 424-9300 (CHEMTREC U.S. - 24 HRS.) 1 (703) 527-3887 (CHEMTREC OUTSIDE U.S.)

## SECTION 2 - HAZARD IDENTIFICATION

### EMERGENCY OVERVIEW:

**Product Description:** This product is a water-white, thin, foamy liquid with a strong ammonia odor.

**Health Hazards:** Exposure to this product can cause irritation to eyes, respiratory system, and skin. Product contains a corrosive material which may cause serious eye damage. Harmful if swallowed.

**Flammability Hazards:** This product has a flash point greater than 200°F (93.3°C).

**Reactivity Hazards:** This product is non-reactive.

**Environmental Hazards:** The environmental effects of this product have not been fully investigated.

**Emergency Considerations:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

### US DOT SYMBOLS



### CANADA (WHMIS) SYMBOLS



### GHS Hazard Symbols



Signal Word: **Warning!**

### 2.1 GHS LABELING AND HAZARD CLASSIFICATION:

This product does meet the definition of a hazardous substance or preparation as defined by the OSHA and described in 29 CFR 1910.1200(d).

#### Component(s) Contributing to Classification(s):

C12-15 Alcohol Ethoxylates, C11 Alcohol Ethoxylate, Ammonium Hydroxide

### 2.2 LABEL ELEMENTS

#### GHS Hazard Classification(s):

Eye Irritant Category 2A

Skin Corrosion/Irritant Category 2

STOT SE Category 3

Acute Aquatic Toxicity Category 1

**Hazard Statement(s):**

May cause respiratory irritation.  
 Harmful if swallowed.  
 Causes skin irritation.  
 Causes serious eye irritation.  
 Toxic to aquatic life with long lasting effects.

**Precautionary Statement(s):**

Do not handle until all safety precautions have been read and understood.  
 Wash hands thoroughly after handling.  
 Do not get in eyes, on skin, or on clothing.  
 Use only in well ventilated area.

**Response Statement(s):**

**IF SWALLOWED:** Call a Poison Control Center/Doctor.  
**IF SWALLOWED:** Rinse mouth. Do **NOT** induce vomiting.  
**IF ON SKIN:** Wash with plenty of water.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Take off contaminated clothing and wash it before reuse.  
 Call a Poison Center/Doctor if you feel unwell.  
**IF INHALED:** Remove person to fresh air and keep comfortable for breathing.  
 If necessary, use artificial respiration to support vital functions.  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Storage Statement(s):**

Store in a well-ventilated place. Keep cool.  
 Store locked up.

**Disposal Statement(s):**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

**SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:** The most significant routes of overexposure for this product are by contact with skin or eyes, and inhalation of mists or spray. The symptoms of overexposure are described in the following paragraphs.

**ACUTE:**

**INHALATION:** Inhalation of mist from this product may cause irritation to mucous membranes and respiratory tract.

**SKIN CONTACT:** Exposure to this product may cause skin irritation.

**EYE CONTACT:** Contact with eyes may cause irritation.

**INGESTION:** Ingestion may cause irritation of the digestive tract.

**CHRONIC:** The effects of long term, low level exposures to this product have not been determined.

**TARGET ORGANS:** **ACUTE:** Eyes, Respiratory System, Skin **CHRONIC:** None known

**SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS**

COMPOSITION	WT. PERCENTAGE	CAS #	HAZARD CLASSIFICATION
Water	65-75%	7732-18-5	None
C12 – 15 Alcohol Ethoxylate	5-15%	68131-39-5	Irritant
Sodium Iminodisuccinate	5-15%	144538-83-0	None
C11 Alcohol Ethoxylate	1-10%	34398-01-1	Irritant
Ammonium Hydroxide	1-2%	192003-74-0	Irritant
Balance of other ingredients are less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers)			

**NOTE: ALL WHMIS** required information is included in appropriate sections based on the ANSI Z400.1-2010 format.

**SECTION 4 - FIRST-AID MEASURES****4.1 DESCRIPTION OF FIRST AID MEASURES:**

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

**SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot

swallow. Seek medical advice. Take a copy of the label and SDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** None known.

**4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:**

Contact with eyes may cause irritation. Skin exposure may cause skin irritation.

**4.3 RECOMMENDATIONS TO PHYSICIANS:**

Treat symptoms and eliminate overexposure.

**SECTION 5 - FIRE-FIGHTING MEASURES**

**5.1 FIRE EXTINGUISHING MATERIALS:**

Use fire extinguishing methods below:

**Water Spray:** Yes

**Foam:** Yes

**Halon:** Yes

**Carbon Dioxide:** Yes

**Dry Chemical:** Yes

**Other:** Any "C" Class

**5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:**

Combustion may produce noxious and irritating gases.

**Explosion Sensitivity to Mechanical Impact:** No

**Explosion Sensitivity to Static Discharge:** No

**FLASH POINT:** >200°F (>93°C)


**AUTOIGNITION TEMPERATURE:** Not applicable.

**FLAMMABLE LIMITS (in air by volume, %):** Lower: NA, Upper: NA

**5.3 SPECIAL FIRE-FIGHTING PROCEDURES:**

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

**NFPA RATING SYSTEM**



**HMIS RATING SYSTEM**

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			2
FLAMMABILITY HAZARD (RED)			1
PHYSICAL HAZARD (YELLOW)			1
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

**Hazard Scale:** 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe, \*=Chronic Hazard

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:**

See Section 8.2 for Exposure Controls.

## 6.2 ENVIRONMENTAL PRECAUTIONS:

Keep spilled material out of all sewers and open bodies of water.

## 6.3 SPILL AND LEAK RESPONSE:

Contain spill if safe to do so. Cover or absorb spilled liquid with sand, earth, or other inert material. Clean up spill immediately and place in appropriate containers. Keep spill out of sewers and open bodies of water. **CAUTION:** Floor may become slippery.

Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13 Disposal Considerations).

## SECTION 7 – HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

As with all chemicals, avoid getting this product **ON YOU** or **IN YOU**. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

### 7.2 STORAGE AND HANDLING PRACTICES:

Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use.

### 7.3 SPECIFIC USES:

Developed specifically for jewelry cleaning.

## SECTION 8 – EXPOSURE CONTROLS – PERSONAL PROTECTION

### 8.1 EXPOSURE PARAMETERS:

CHEMICAL NAME	CAS#	ACGIH TLV	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Sodium Iminodisuccinate	144538-83-0	Not Listed	Not Listed
C12 – 15 Alcohol Ethoxylate	68131-39-5	Not Listed	Not Listed
C11 Alcohol Ethoxylate	34398-01-1	Not Listed	Not Listed
Ammonium Hydroxide	1336-21-6	25 ppm / 17 mg/m <sup>3</sup> (as ammonia)	35 ppm / 27 mg/m <sup>3</sup> (as ammonia)

### 8.2 EXPOSURE CONTROLS:

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada.*

**RESPIRATORY PROTECTION:** Not required when using this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

**EYE PROTECTION:** Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Standards of Canada.

**HAND PROTECTION:** Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standard of Canada.

**BODY PROTECTION:** Not normally required when using this protect. If necessary, refer to U.S. OSHA 29 CFR 1910.132 (also OSHA Technical Manual). or appropriate Standard of Canada.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

**APPEARANCE (PHYSICAL STATE) AND COLOR:** Water-white, thin, foamy liquid with a strong ammonia odor.

**ODOR:** Strong ammonia odor.

**ODOR THRESHOLD:** Not available.

**VAPOR PRESSURE (mm Hg @ 68°F (20°C)):** Not available.

**VAPOR DENSITY:** Not available.

**RELATIVE DENSITY:** Not available.

PH: 11.30  
MELTING/FREEZING POINT: Approx. 32°F (0°C)  
BOILING POINT: Approx. 212°F (100°C)  
FLASH POINT: >200°F (>93.3°C)  
EVAPORATION RATE (n-BuAc=1): Approximately the same as water.  
FLAMMABILITY (SOLID, GAS): Not applicable.  
UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not available.

SPECIFIC GRAVITY: 1.025 @ 25°C  
SOLUBILITY IN WATER: Completely soluble.  
WEIGHT PER GALLON: 8.53 Lb/gal @ 25°C  
PARTITION COEFFICIENT (n-octanol/water): Not applicable.  
AUTO-IGNITION TEMPERATURE: Not applicable.  
DECOMPOSITION TEMPERATURE: Not available.  
VISCOSITY: Not available.

## 9.2 OTHER INFORMATION:

No additional information available.

## SECTION 10 – STABILITY AND REACTIVITY

### 10.1 REACTIVITY:

Slightly reactive.

### 10.2 STABILITY:

Stable under conditions of normal storage and use.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Reacts with strong acids and strong oxidizing agents with evolution of heat.

### 10.4 CONDITIONS TO AVOID:

Incompatible materials.

### 10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Strong acids, strong oxidizing agents, and heat.

### 10.6 HAZARDOUS DECOMPOSITIONS PRODUCTS:

When heated to decomposition, this product produces Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides, Sulfur Oxides, and other toxic gases.

## SECTION 11 – TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

Toxicity data is not available for this mixture:

CAS# 68131-39-5 LD50 Dermal	5,000 mg/kg	Rat
CAS# 68131-39-5 LD50 Ingestion	1,200 mg/kg	Rat

**SUSPECTED CANCER AGENT:** The following ingredients are found on one or more of the following lists: **FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC** and therefore are considered to be, or suspected to be, a cancer-causing agent by these agencies:

None.

**IRRITANCY OF THE PRODUCT:** Contact with this product can be irritating to exposed skin and eyes.

**SENSITIZATION TO THE PRODUCT:** This product is not considered a skin and respiratory sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No information concerning the effects of this product and its components on the human reproductive system is available.

**SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** Specific target organ toxicity – single exposure: respiratory irritation.

**SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Not classified as a specific target organ toxicity – repeated exposure.

**CHRONIC EFFECTS:** The effects of long term, low level exposures to this product have not been determined.

## SECTION 12 – ECOLOGICAL INFORMATION

### 12.1 TOXICITY:

No toxicity data available for this mixture.

### 12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available for this mixture.

### 12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available for this mixture.

### 12.4 MOBILITY IN SOIL:

No specific data available for this mixture.

## 12.5 OTHER ADVERSE EFFECTS:

No specific data available for this mixture.

**ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.**

## SECTION 13 – DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS:

This product, if disposed of as shipped, is not considered a hazardous waste as specified in 40 CFR 261.

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, and those of Canada.

## SECTION 14 – TRANSPORTATION INFORMATION

### 14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation as follows.

Metal Corrosion Test: Corrosive metal by **DOT, IATA, ADR, and IMDG/IMO** criteria.

Not applicable.

### 14.2 UN IDENTIFICATION NUMBER:

UN3266

### 14.3 PROPER SHIPPING NAME:

Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

### 14.4 HAZARD CLASS NUMBER AND DESCRIPTION:

Class 8, Corrosive

### 14.5 PACKING GROUP:

PGIII

**DOT LABELS REQUIRED:**

Corrosive

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:** 154

### 14.6 ENVIRONMENTAL HAZARDS (RQ QUANTITY):

**MARINE POLLUTANT:** The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

### 14.7 SPECIAL PRECAUTION FOR USER:

Use caution and avoid exposure.

### 14.8 INTERNATIONAL TRANSPORTATION:

**INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA):** This product is considered as dangerous goods by air.

**Note:** Packaging does not comply with IATA regulations and cannot be shipped by aircraft.

**INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):** This product is considered as dangerous goods.

### 14.9 SPECIAL TRANSPORTATION PROVISIONS AND EXEMPTIONS:

#### 14.9.1 TRANSPORTATION MODE: GROUND ONLY

This product, if shipped in the original manufacture's packaging, may be shipped by ground (truck or rail) as a limited quantity (under 30kg) per 49 CFR 173.154 as follows:

**HAZMAT CLASSIFICATION:** LTD QTY HAZMAT

**PROPER SHIPPING NAME:** None specified. (Typically shipped as: Cleaning, Scouring, or Washing Liquid Compound, NOI, NMFC Item#: 48580, Sub 3, Class 55)

**HAZARD CLASS:** N/A      **PACKING GROUP:** N/A

**UN#:** N/A      **SPECIAL PROVISIONS:** N/A

**HAZARD NAME:** N/A

**PACKAGE LABELS:** N/A

**PACKAGE MARKING:**  [LTD QTY Diamond, per 49 CFR 172.315(a)(1)]

**MAX PACKAGE WT:** 30kg (66lbs)

**PLACARD:** N/A

**EPA RQ:** N/A      **POUNDS:** N/A      **KILOS:** N/A

**ERG:** N/A      **EMS:** N/A      **CARGO CLASS:** N/A

**FREIGHT CLASSIFICATION:** Cleaning, Scouring, or Washing Liquid Compound, NOI, NMFC Item#: 48580, Sub 3


LTL: 55      TL: 35      MW: 36,000

#### 14.9.2 TRANSPORTATION MODE: WATER, IMO, and MIXED MODE

This product, if shipped in the original manufacture's packaging, may be shipped by water (IMO and mixed mode) as a limited quantity (under 30kg) per 49 CFR 173.154 as follows:

**HAZMAT CLASSIFICATION:** LTD QTY HAZMAT

**PROPER SHIPPING NAME:** UN3266, Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide), Class 8, PGIII, LTD QTY  
**HAZARD CLASS:** Class 8, Corrosive      **PACKING GROUP:** PGIII  
**UN#:** UN3266      **SPECIAL PROVISIONS:** N/A  
**HAZARD NAME:** LTD QTY HAZMAT  
**PACKAGE LABELS:** N/A

**PACKAGE MARKING:**  [LTD QTY Diamond, per 49 CFR 172.315(a)(1)] "UN 3266, Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)"

**MAX PACKAGE WT:** 30kg (66lbs)

**PLACARD:** N/A

**EPA RQ:** N/A

**POUNDS:** N/A

**KILOS:** N/A

**ERG:** 154

**EMS:** F-A, S-B

**STOWAGE:** Category A, Clear of Living Quarters

**Properties:** Corrosive only to Aluminum

**FREIGHT CLASSIFICATION:** Cleaning, Scouring, or Washing Liquid Compound, NOI, NMFC Item#: 48580, Sub 3

**LTL:** 55      **TL:** 35

**MW:** 36,000

## SECTION 15 – REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

See below

### 15.2 UNITED STATES REGULATIONS:

**SARA REPORTING REQUIREMENTS:** This product is not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

**SARAH 311/312:**

**ACUTE HEALTH:** YES

**CHRONIC HEALTH:** NO

**FIRE:** NO

**REACTIVITY:** NO

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None.

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** None of the ingredients are on the California Proposition 65 lists.

### 15.3 CANADIAN REGULATIONS:

**CANADIAN DSL/NDLS INVENTORY STATUS:** All components are DSL listed, NDSL listed, and/or are exempt from listing.

**OTHER CANADIAN REGULATIONS:** Not applicable.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LIST:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

**CANADIAN WHMIS CLASSIFICATION AND SYMBOLS:** This product is categorized as a Controlled Product, not classified as per the Controlled Product Regulations.

## SECTION 16 – OTHER INFORMATION

### 16.1 ABBREVIATIONS AND ACRONYMS:

**EPA:** United State Environmental Protection Agency

**IMDG:** International Maritime Code for Dangerous Goods

**DOT:** US Department of Transportation

**IATA:** International Air Transport Association

**ACGIH:** American Conference of Governmental Industrial Hygienists

**NFPA:** National Fire Protection Association (USA)

**HMIS:** Hazardous Materials Identification System (USA)

DATE OF CURRENT REVISION: 01 JUNE 2015

DATE OF LAST REVISION: 05 MARCH 2013

**Disclaimer:** To the best of Connoisseurs Products Corporation knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability, or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.